



# PRODUCT CATALOGUE 2023

RUBBER PADS | RUBBER BLOCKS | POLYMER BLOCKS

RUBBER PLATES | SPECIAL EQUIPMENT | RUBBER RAMPS | FILLER PLATES






rubber pads

PAGE 3



rubber blocks

PAGE 19



polymer blocks

PAGE 24



rubber plates

PAGE 26



special equipment

PAGE 29



rubber ramps

PAGE 30




filler plates

PAGE 31

**böck** automotive  
lifting  
solutions

© Böck GmbH | We reserve the right to change prices and product specifications without prior notification. The catalogue is designed by Böck GmbH, all images in this print media are subject to copyright and can only be used with permission.

Technical changes and errors expected.




Art. Nr.: 015

Ø	a	b	d	e
115 mm	-	73 mm	20 mm	-

0,25 kg

suitable for:  
J.A.B. BECKER




Art. Nr.: 024481

Ø	a	b	d	e
120 mm	-	75 mm	21 mm	-

0,15 kg

suitable for:  
J.A.B. BECKER




Art. Nr.: 169100MET

Ø	a	b	d	e
120 mm	110 mm	-	4 mm	16 mm

0,29 kg with steel plate

suitable for:  
J.A.B. BECKER / ATH-HEINL / HOFMANN /  
HERRMANN / AUTOP-STENHOJ / FINKBEINER /  
KIRSTEN / WEBER




Art. Nr.: 169100

Ø	a	b	d	e
120 mm	110 mm	-	4 mm	16 mm

0,15 kg

suitable for:  
J.A.B. BECKER / ATH-HEINL / HOFMANN /  
HERRMANN / AUTOP-STENHOJ / FINKBEINER /  
KIRSTEN / WEBER




Art. Nr.: 169130

Ø	a	b	d	e
130 mm	122 mm	-	5 mm	17 mm

0,20 kg

suitable for:  
HERRMANN




Art. Nr.: GT-BTHZ.120.15

Ø	a	b	d	e
120 mm	-	45 mm	15 mm	-

0,35 kg with steel plate

suitable for:  
J.A.B. BECKER / ZIPPO



Art. Nr.: 335022

Ø	a	b	d	e
140 mm	132 mm	-	4 mm	17 mm

0,20 kg

suitable for:  
HOFMANN




Art. Nr.: 335160-GS5.0

Ø	a	b	d	e
160 mm	148 mm	-	6 mm	24 mm

0,38 kg

suitable for:  
HOFMANN



Art. Nr.: 336000

a	b	d	l	w
154 mm	82 mm	10 mm	162 mm	92 mm

0,24 kg

suitable for:  
HOFMANN / ROMEICO / HYMO




Art. Nr.: 01103031

Ø	a	b	d	e
125 mm	120 mm	90 mm	24 mm	-

0,30 kg with steel plate

suitable for:  
NUSSBAUM / ATT / AMI / AMMCO / FORCE /  
WHEELTRONIC / PHOENIX / SNAP-ON




Art. Nr.: SOVW-NUS

Ø	a	b	d	e
132 mm	121 mm	-	8 mm	24 mm

0,23 kg

suitable for:  
NUSSBAUM




Art. Nr.: GPROD-NUS

Ø	a	b	c	h
120 mm	85 mm	90 mm	31 mm	41 mm

0,35 kg

suitable for:  
NUSSBAUM



Art. Nr.: GK125/120

Ø	a	b	d	e
127 mm	120 mm	83 mm	9 mm	28 mm

0,35 kg with steel plate

suitable for:  
SLIFT / IME



Art. Nr.: GK155/16

Ø	a	b	d	e
155 mm	153 mm	85 mm	16 mm	-

0,38 kg with steel plate

suitable for:  
SLIFT / IME



Art. Nr.: GK122/12

Ø	a	b	d	e
122 mm	116 mm	80 mm	12 mm	-

0,15 kg with steel plate

suitable for:  
SLIFT / IME




Art. Nr.: 36001.04.04.001

Ø	a	b	d	e
120 mm	112 mm	83 mm	5 mm	18 mm

0,15 kg

suitable for:  
MAHA / SLIFT / AUTOMASTER



Art. Nr.: 115172024

Ø	a	b	d	e
100 mm	90 mm	63 mm	5 mm	17,5 mm

0,10 kg

suitable for:  
MAHA / SLIFT




Art. Nr.: 17202301MET

Ø	a	b	d	e
120 mm	113 mm	83 mm	8 mm	22 mm

0,26 kg with steel plate


suitable for:  
MAHA



Art. Nr.: 17202301

Ø	a	b	d	e
120 mm	113 mm	83 mm	8 mm	22 mm


0,15 kg

 suitable for:  
MAHA


Art. Nr.: 17202301-EMB

Ø	a	b	d	e
120 mm	110 mm	83 mm	8 mm	22 mm

0,15 kg with steelplate, without screw holes, to pull over

 suitable for:  
MAHA


Art. Nr.: 121KP6Z215

Ø	a	b	d	e
144 mm	117 mm	-	20 mm	-

0,30 kg

 suitable for:  
RAVAGLIOLI


Art. Nr.: 047021040

Ø	a	b	d	e
145 mm	-	45 mm	26 mm	-

0,30 kg

 suitable for:  
RAVAGLIOLI / OMER


Art. Nr.: 04640577

Ø	a	b	d	e
120 mm	-	36 mm	27 mm	-

0,25 kg

 suitable for:  
RAVAGLIOLI / SPACE / OMER


Art. Nr.: 046405772MET

Ø	a	b	d	e
123 mm	110 mm	-	10 mm	25 mm

0,30 kg with steel plate

 suitable for:  
RAVAGLIOLI / WERTHER / SPACE / ORLANDINI  
/ OMER




Art. Nr.: 046405772

Ø	a	b	d	e
123 mm	110 mm	-	10 mm	25 mm

0,15 kg

suitable for:  
RAVAGLIOLI / WERTHER / SPACE / ORLANDINI  
/ OMER



Art. Nr.: 047021850MET

Ø	a	b	d	e
100 mm	87 mm	-	9 mm	22 mm

0,17 kg with steel plate

suitable for:  
RAVAGLIOLI / SIRIO / SPACE / SUPREME /  
MOLNAR




Art. Nr.: 047021850

Ø	a	b	d	e
100 mm	87 mm	-	9 mm	22 mm

0,10 kg

suitable for:  
RAVAGLIOLI / SIRIO / SPACE / SUPREME /  
MOLNAR



Art. Nr.: GT-359.B8X

Ø	a	b	d	e
100 mm	87 mm	-	9 mm	38 mm

0,30 kg with steel plate

suitable for:  
RAVAGLIOLI / SIRIO / SPACE / SUPREME /  
MOLNAR



Art. Nr.: 047021041

Ø	a	b	d	e
148 mm	133 mm	-	10 mm	25 mm

0,26 kg

suitable for:  
RAVAGLIOLI



Art. Nr.: OMCN-140

Ø	a	b	d	e
143 mm	-	-	27 mm	-

0,35 kg

suitable for:  
OMCN




Art. Nr.: OMCN-140-002

Ø	a	b	d	e
140 mm	-	42 mm	29 mm	-

 0,31 kg

suitable for:  
OMCN




Art. Nr.: WERTHER002

Ø	a	b	d	e
140 mm	-	-	15 mm	-

 0,25 kg

suitable for:  
WERTHER / OMA / BRADBURY / TECALEMIT /  
AUTEC




Art. Nr.: WERTHER001-B1007

Ø	a	b	d	e
122 mm	114 mm	-	10 mm	28 mm

 0,23 kg

suitable for:  
WERTHER / OMA / TECALEMIT / ITALGARAGE  
/ FINKBEINER




Art. Nr.: WERTHER001-B2653

Ø	a	b	d	e
85 mm	39 mm	-	29 mm	50 mm

 0,31 kg

suitable for:  
WERTHER




Art. Nr.: 15.87.425

Ø	a	b	d	e
127 mm	123 mm	-	8 mm	22 mm

 0,15 kg

suitable for:  
CONSUL / ZIPPO / FOG




Art. Nr.: 15.87.410

Ø	a	b	d	e
100 mm	-	35 mm	17mm	-

 0,24 kg with steel plate

suitable for:  
ZIPPO / GRUSE






Art. Nr.: 15.87.420

Ø	a	b	d	e
120 mm	-	44 mm	16 mm	-

0,30 kg with steel plate

suitable for:  
ZIPPO



Art. Nr.: 15.87.450

Ø	a	b	d	e
149 mm	-	60 mm	15 mm	-

0,75 kg with steel plate

suitable for:  
ZIPPO




Art. Nr.: 15.87.453

Ø	a	b	d	e
153 mm	-	60 mm	32 mm	-

0,75 kg with steel plate

suitable for:  
ZIPPO



Art. Nr.: 02-CONSUL

Ø	a	b	d	e
138 mm	-	-	18 mm	-

0,75 kg with steel plate

suitable for:  
CONSUL




Art. Nr.: 02-CONSUL-01-CA

Ø	a	b	d	e
135 mm	35 mm	40 mm	-	-

1,50 kg rotating plate incl. changeable rubber pad

suitable for:  
CONSUL / ZIPPO / BEISSBARTH




Art. Nr.: 02-CONSUL-01-GTRP

Ø	a	b	d	e
135 mm	126 mm	-	8 mm	10 mm

0,30 kg with steel plate

suitable for:  
CONSUL / ZIPPO / BEISSBARTH / HERRMANN




Art. Nr.: 664202

Ø	a	b	d	e
121 mm	-	65 mm	9 mm	-

0,20 kg with steel plate

suitable for:  
AUTOP-STENHOJ / FOG / CAR-O-LINER




Art. Nr.: 664000

Ø	a	b	d	e
122 mm	-	65 / 88 mm	18 mm	-

0,18 kg

suitable for:  
AUTOP-STENHOJ / NUSSBAUM / FOG / CAR-O-LINER




Art. Nr.: 664160

Ø	a	b	d	e
158 mm	-	47 mm	11 mm	-

0,40 kg with steel plate

suitable for:  
AUTOP-STENHOJ




Art. Nr.: SK2030-105

Ø	a	b	d	e
109 mm	100 mm	-	10 mm	26 mm

0,15 kg

suitable for:  
KONI / BRADBURY / HERKULES / TECALEMIT / MAJORLIFT



Art. Nr.: SK2030-124

Ø	a	b	d	e
124 mm	118 mm	-	5 mm	17 mm

0,13 kg

suitable for:  
KONI



Art. Nr.: SK2030-160

Ø	a	b	d	e
160 mm	153 mm	-	10 mm	28 mm

0,33 kg

suitable for:  
KONI / ROMEICO / CAR-O-LINER / HH-INTERTECH / BEISSBARTH / FOG / MONDOLFO FERRO




Art. Nr.: ROMEICO124

Ø	a	b	d	e
124 mm	116 mm	-	10 mm	22 mm

0,15 kg

suitable for:  
ROMEICO / HH-INTERTECH / CORGHI /  
GRAZIA




Art. Nr.: ROTARY

Ø	a	b	d	e
123 mm	112 mm	-	8 mm	20 mm

0,17 kg

suitable for:  
ROTARY / HERRMANN / ATH-HEINL



Art. Nr.: ROTARY-FJRP

b	c	d	l	w
80 mm	56 mm	8 mm	104 mm	82 mm

0,12 kg

suitable for:  
ROTARY



Art. Nr.: ROTARY-PU7352

a	b	d	l	w
116 mm	80 mm	9 mm	128 mm	89 mm

0,12 kg

suitable for:  
ROTARY



Art. Nr.: ZAV-41-113

Ø	a	b	d	e
128 mm	112 mm	-	8 mm	22 mm

0,20 kg

suitable for:  
EUROLIFT / ORLANDINI




Art. Nr.: ISTO720300

Ø	a	b	d	e
155 mm	147 mm	-	6 mm	24 mm

0,27 kg

suitable for:  
ISTOBAL / VELYEN




Art. Nr.: IST1304800

Ø	a	b	d	e
145 mm	-	60 mm	5 mm	-

0,10 kg

suitable for:  
ISTOBAL / VELYEN / SOURIAU



Art. Nr.: VEL001

Ø	a	b	d	e
121 mm	-	46 mm	7 mm	-

0,10 kg

suitable for:  
ISTOBAL / VELYEN



Art. Nr.: LAUNCH120

Ø	a	b	d	e
120 mm	108 mm	69 mm	32 mm	-

0,30 kg

suitable for:  
LAUNCH / EVER ETERNAL / TWIN BUSCH / RP  
TOOLS / ATH-HEINL / LINCOS / many chinese  
manufactured lifts




Art. Nr.: COR001483

Ø	a	b	d	e
126 mm	120 mm	-	10 mm	24 mm

0,21 kg

suitable for:  
CORGHI / HPA - FAIP / MONDOLFO FERRO /  
ORLANDINI / SICE



Art. Nr.: AGM139

Ø	a	b	d	e
139 mm	130 mm	-	8 mm	28 mm

0,30 kg

suitable for:  
AGM / CORGHI / FOG / SICE / HPA - FAIP /  
AUTEC / MOLNAR



Art. Nr.: CASCOS001

Ø	a	b	d	e
138 mm	130 mm	-	8 mm	25 mm

0,26 kg

suitable for:  
CASCOS / VILVER




Art. Nr.: BRADBURY001

Ø	a	b	d	e
158 mm	148 mm	-	11 mm	27 mm

0,37 kg

suitable for:  
BRADBURY / HH-INTERTECH




Art. Nr.: BRADBURY002

Ø	a	b	d	e
150 mm	142 mm	-	7 mm	22 mm

0,21 kg

suitable for:  
BRADBURY




Art. Nr.: RANGER001

a	b	d	l	w
126 mm	-	13 mm	143 mm	143 mm

0,50 kg

suitable for:  
BENDPAK / RANGER / DANMAR



Art. Nr.: BENDPAK002

b	c	d	l	w
88 mm	88 mm	12 mm	119 mm	119 mm

0,20 kg

suitable for:  
BENDPAK / DAYTONA




Art. Nr.: BENDPAK003

Ø	a	b	d	e
127 mm	111 mm	-	11 mm	26 mm

0,26 kg

suitable for:  
BENDPAK




Art. Nr.: BENDPAK004

a	b	d	l	w
126 mm	-	13 mm	143 mm	143 mm

0,50 kg

suitable for:  
BENDPAK / RANGER / DANMAR




Art. Nr.: LAYCOCK001

a	b	d	l	w
140 mm	70 mm	28 mm	150 mm	80 mm

0,27 kg

suitable for:  
LAYCOCK / KISMET




Art. Nr.: SILENT001

b	c	d	l	w
60 mm	40 mm	20 mm	118 mm	83 mm

0,27 kg

suitable for:  
BRADBURY / DUNLOP / SILENT / many chinese  
manufactured lifts



Art. Nr.: SILENT001MET

b	c	d	l	w
60 mm	40 mm	20 mm	118 mm	83 mm

0,35 kg with steel plate

suitable for:  
BRADBURY / DUNLOP / SILENT / many chinese  
manufactured lifts




Art. Nr.: SUM001

Ø	a	b	d	e
140 mm	134 mm	118 mm	20 mm	88 mm

0,29 kg

suitable for:  
SUMMIT




Art. Nr.: HPOW001

Ø	a	b	d	e
120 mm	-	25 mm	17 mm	-

0,21 kg

suitable for:  
POWERREX / HESHBON / AUTOP-STENHOJ /  
many chinese manufactured lifts




Art. Nr.: HPOW002

Ø	a	b	d	e
120 mm	-	25 mm	25 mm	-

0,32 kg

suitable for:  
POWERREX / HESHBON / ROTARY / JIG /  
QUALITY LIFTS / many chinese manufactured lifts




Art. Nr.: BISHAMON001

b	c	d	l	w
74 mm	40 mm	20 mm	116 mm	80 mm

0,28 kg with steel plate

suitable for:  
BISHAMON / CHIANG LURN / CARLEO




Art. Nr.: BISHAMON002

b	c	d	l	w
45 mm	40 mm	16 mm	112 mm	92 mm

0,31 kg with steel plate

suitable for:  
BISHAMON / BENWIL




Art. Nr.: GTCN001

Ø	a	b	d	e
125 mm	-	90 mm	10 mm	-

0,17 kg

suitable for:  
AUTOMOTECH / EVER ETERNAL / TWIN BUSCH  
/ HANMECSON / FORWARD / many chinese  
manufactured lifts



Art. Nr.: GTCN002

Ø	a	b	d	e
120 mm	-	-	17 mm	-

0,21 kg

suitable for:  
AUTOP-STENHOJ / ATH-HEINL/ HESHBON /  
TWIN BUSCH / LINCOS / PROVAC / KRÖMER /  
AUTOMASTER / many chinese manufactured lifts



Art. Nr.: GTCN002-RNG

Ø	a	b	d	e
132 mm	-	119 mm	14 mm	9 mm

0,21 kg

suitable for:  
many chinese manufactured lifts




Art. Nr.: GTCN003

Ø	a	b	d	e
120 mm	-	-	15 mm	-

0,21 kg

suitable for:  
FOG / DUNLOP / many chinese manufactured  
lifts




Art. Nr.: GTCN004

Ø	a	b	d	e
140 mm	125 mm	50 mm	10 mm	32 mm

0,40 kg

suitable for:  
NORDIC LIFT / TWIN BUSCH / many chinese manufactured lifts




Art. Nr.: GTCN009

Ø	a	b	d	e
140 mm	120 mm	50 mm	10 mm	32 mm

0,40 kg

suitable for:  
EVER ETERNAL / NORDIC LIFT / TWIN BUSCH / many chinese manufactured lifts




NEW

Art. Nr.: GTCN010

Ø	a	b	d	e
120 mm	108 mm	60 mm	23 mm	-

0,22 kg

suitable for:  
WEBER / many chinese manufactured lifts



NEW

Art. Nr.: GTCN011

Ø	a	b	d	e
140 mm	128 mm	56 mm	34 mm	-

0,43 kg

suitable for:  
WEBER / many chinese manufactured lifts




Art. Nr.: GTCN006

Ø	a	b	d	e
120 mm	105 mm	66 mm	8 mm	25 mm

0,21 kg

suitable for:  
EVER ETERNAL / LAUNCH / TWIN BUSCH / many chinese manufactured lifts




Art. Nr.: GTCN005

b	c	d	l	w
104 mm	50 mm	9 mm	128 mm	74 mm

0,21 kg

suitable for:  
EVER ETERNAL / LAUNCH / TWIN BUSCH / many chinese manufactured lifts





Art. Nr.: GTCN007-RNG

Ø	a	b	d	e
160 mm	-	150 mm	25,5 mm	9 mm

0,60 kg

suitable for:



Art. Nr.: GTCN008

Ø	a	b	d	e
140 mm	-	-	21 mm	-

0,35 kg

suitable for:  
TWIN BUSCH / ATH-HEINL / many chinese  
manufactured lifts



Art. Nr.: NORDLIFT17200

Ø	a	b	d	e
127 mm	115 mm	-	7 mm	23 mm

0,17 kg

suitable for:  
NORDLIFT




Art. Nr.: 149950

b	c	d	l	w
73 mm	-	18 mm	100 mm	81 mm

0,15 kg

suitable for:  
J.A.B. BECKER




Art. Nr.: 100100

a	b	d	l	w
108 mm	-	23 mm	120 mm	120 mm

0,18 kg

suitable for:  
COMPAC



Art. Nr.: AC-GS1

Ø	a	b	d	e
110 mm	-	-	20 mm	-

0,17 kg

suitable for:  
AC HYDRAULIC



Art. Nr.: AC-GS2

a	b	d	l	w
100 mm	50 mm	10 mm	110 mm	60 mm

0,15 kg

suitable for:  
AC HYDRAULIC/ AUTOP-STENHOJ/ MAHA/  
ROTARY




Art. Nr.: COL001

Ø	a	b	d	e
89 mm	80 mm	-	17 mm	-

0,10 kg

suitable for:  
CAR-O-LINER




Art. Nr.: GT-VIGK.115.27

Ø	a	b	d	e
115 mm	100 mm	-	5 mm	27 mm

0,25 kg

suitable for:  
VILVER



Art. Nr.: GT-VILN.145.30

Ø	a	b	d	e
145 mm	130 mm	-	8 mm	31 mm

0,40 kg

suitable for:  
VILVER




Art. Nr.: 165046

a	b	h
150 × 150 mm	100 × 100 mm	140 mm

2,30 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use



Art. Nr.: 165042

a	b	h
150 × 150 mm	104 × 104 mm	100 mm

1,75 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use



Art. Nr.: 165030

a	b	h
150 × 150 mm	110 × 110 mm	70 mm

1,40 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use




Art. Nr.: 165036

a	b	h
150 × 150 mm	115 × 115 mm	60 mm

1,20 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use




Art. Nr.: 165031

a	b	h
150 × 150 mm	120 × 120 mm	50 mm

1,10 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use




Art. Nr.: 165034

a	b	h
150 × 150 mm	128 × 128 mm	40 mm

0,90 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use




Art. Nr.: 165037

a	b	h
150 × 150 mm	135 × 135 mm	30 mm

0,72 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use




Art. Nr.: 165038

a	b	h
150 × 150 mm	140 × 140 mm	20 mm

0,47 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use



Art. Nr.: 23000251

a	b	h
150 × 150 mm	115 × 115 mm	60 mm

1,20 kg

suitable for:  
MAHA / universal use



Art. Nr.: 165040

a	b	h
180 × 100 mm	-	100 mm

2,35 kg

suitable for:  
universal use



Art. Nr.: 165033H

a	b	h
222 × 137 mm	-	85 mm

2,75 kg with wooden core

suitable for:  
universal use




Art. Nr.: 165032

a	b	h
216 × 136 mm	-	50 mm

1,80 kg

suitable for:  
universal use



Art. Nr.: 165035

a	b	h
160 × 120 mm	-	20 mm

0,60 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use



Art. Nr.: GK12/8

a	b	h
120 × 120 mm	100 × 100 mm	80 mm

1,10 kg

suitable for:  
SLIFT / IME / universal use




Art. Nr.: GK12/4

a	b	h
120 × 120 mm	102 × 102 mm	40 mm

0,55 kg

suitable for:  
SLIFT / IME / universal use




Art. Nr.: MAG120/35

a	b	h
120 × 120 mm	110 × 110 mm	35 mm

0,75 kg with magnet

suitable for:  
universal use




Art. Nr.: 13510030-RU

a	d	h
135 × 135 mm	60 mm	42 mm

0,60 kg on scissor lifts for electric cars

suitable for:  
universal use




Art. Nr.: 13510070

a	b	h
135 × 135 mm	100 × 100 mm	70 mm

1,52 kg especially for BMW cars

suitable for:  
RAVAGLIOLI / universal use



Art. Nr.: 13510030

a	b	h
135 × 135 mm	100 × 100 mm	30 mm

0,62 kg especially for BMW cars

suitable for:  
RAVAGLIOLI / universal use



Art. Nr.: GK16/9

a	b	h
160 × 120 mm	120 × 83 mm	90 mm

1,48 kg

suitable for:  
universal use



Art. Nr.: 316930

a	b	h
120 × 100 mm	-	50 mm

0,55 kg

suitable for:  
MAHA / HOFMANN / universal use



Art. Nr.: 316930-NU

a	b	h
120 × 100 mm	-	50 mm

0,55 kg

suitable for:  
MAHA / universal use



Art. Nr.: 38.31.829

a	b	h
200 × 100 mm	180 × 80 mm	40 mm

0,80 kg

suitable for:  
ZIPPO / MAJORLIFT / universal use



Art. Nr.: 38.31.830

a	b	h
200 × 100 mm	180 × 80 mm	70 mm

1,40 kg

suitable for:  
ZIPPO / MAJORLIFT / universal use



Art. Nr.: 38.31.831

a	b	h
230 × 140 mm	220 × 130 mm	140 mm

4,25 kg

suitable for:  
ZIPPO / MAJORLIFT / universal use



Art. Nr.: 38.31.831OLD

a	b	h
230 × 140 mm	215 × 138 mm	135 mm

4,60 kg with wooden core

suitable for:  
ZIPPO / universal use



Art. Nr.: 80100012080

a	b	h
120 × 100 mm	-	80 mm

0,95 kg

suitable for:  
HERKULES




Art. Nr.: 30100012030

a	b	h
120 × 100 mm	-	30 mm


0,45 kg

suitable for:  
HERKULES




Art. Nr.: PE-900-KGK-20

250 × 150 × 20 mm +/- 5 mm

 0,11 kg

suitable for:  
universal use on scissor lifts



Art. Nr.: PE-900WEISS/KLEIN

340 × 132 × 50 mm +/- 5 mm


 0,35 kg

suitable for:  
universal use on scissor lifts




Art. Nr.: PE-900WEISS/GROSS

340 × 150 × 100 mm +/- 5 mm

 0,75 kg

suitable for:  
universal use on scissor lifts




Art. Nr.: PE-900-03415.H25

340 × 150 × 25 mm +/- 5 mm


 0,18 kg

suitable for:  
universal use on scissor lifts



Art. Nr.: PE-900-SH-49

1355 × 140 × 49 mm +/- 5 mm


 1,45 kg

suitable for:  
universal use on scissor lifts



Art. Nr.: PE-900-SH-95

1355 × 140 × 95 mm +/- 5 mm

 2,80 kg


suitable for:  
universal use on scissor lifts





Art. Nr.: PB-K03415.H40

340 × 150 × 40 mm +/- 5 mm


 0,20 kg

suitable for:  
universal use on scissor lifts



Art. Nr.: PB-K03415.H60

340 × 150 × 60 mm +/- 5 mm


 0,30 kg

suitable for:  
universal use on scissor lifts



Art. Nr.: PB-K03415.H80

340 × 150 × 80 mm +/- 5 mm


 0,40 kg

suitable for:  
universal use on scissor lifts



Art. Nr.: PB-K15015.H40

1500 × 150 × 40 mm +/- 5 mm


 0,90 kg

suitable for:  
universal use on scissor lifts



Art. Nr.: PB-K15015.H60

1500 × 150 × 60 mm +/- 5 mm

 1,30 kg

suitable for:  
universal use on scissor lifts




Art. Nr.: PB-K15015.H80

1500 × 150 × 80 mm +/- 5 mm

 1,60 kg

suitable for:  
universal use on scissor lifts



Art. Nr.: 165029

c	d	h	l	w
160 mm	320 mm	13 mm	380 mm	260 mm

2,75 kg with steel plate

suitable for:  
J.A.B. BECKER



Art. Nr.: GK40/2

c	d	h	l	w
240 mm	285 mm	15 mm	400 mm	350 mm

3,30 kg with steelplate

suitable for:  
SLIFT / IME



Art. Nr.: GK40/12

c	d	h	l	w
240 mm	255 mm	12 mm	400 mm	350 mm

3,10 kg with steelplate

suitable for:  
SLIFT / IME



Art. Nr.: GK40/35-VG

c	d	h	l	w
260 mm	355 mm	14 mm	400 mm	350 mm

3,60 kg new version, with steel plate

suitable for:  
MAHA




Art. Nr.: GK53/12

c	d	h	l	w
240 mm	405 mm	12 mm	535 mm	350 mm

4,20 kg with steelplate

suitable for:  
SLIFT / IME



Art. Nr.: GK34/2

h	l	w
20 mm	336 mm	290 mm

2,35 kg

suitable for:  
SLIFT / IME / universal use




Art. Nr.: GK39/2

c	d	h	l	w
240 mm	255 mm	20 mm	370 mm	330 mm

2,55 kg

suitable for:  
MAHA / universal use




Art. Nr.: GK45/2

a	b	c	d	h
450 mm	354 mm	-	354 mm	20 mm

5,70 kg

suitable for:  
MAHA / universal use




Art. Nr.: 37005/BO

h	l	w
20 mm	270 mm	210 mm

1,35 kg

suitable for:  
AUTOP-STENHOJ



Art. Nr.: 37006/BO

c	d	h	l	w
320 mm	340 mm	12 mm	400 mm	350 mm

3,35 kg with steel plate / incl. screw connection

suitable for:  
AUTOP-STENHOJ




Art. Nr.: 24003

c	d	h	l	w
230 mm	311 mm	40 mm	405 mm	305 mm

6,40 kg with steelplate

suitable for:  
AUTOP-STENHOJ / PERKUTE



Art. Nr.: 235NT08022

a	b	c	d	h
325 mm	257 mm	-	257 mm	20 mm

2,70 kg

suitable for:  
NUSSBAUM



Art. Nr.: 507176

c	d	h	l	w
80 mm	155 mm	12 mm	220 mm	120 mm

 0,85 kg with steelplate

suitable for:  
J.A.B. BECKER



Art. Nr.: 970527/BO

h	l	w
30 mm	460 mm	300 mm

 5,50 kg

suitable for:  
NUSSBAUM




Art. Nr.: 509281

c	d	h	l	w
130 mm	155 mm	12 mm	220 mm	170 mm

 1,25 kg with steelplate

suitable for:  
J.A.B. BECKER




Art. Nr.: WZ-00931-AO

a	b	c	d	h
150 mm	95 mm	-	-	120 mm

 0,75 kg with steelplate

suitable for:  
HYWEMA




incl. GummirondeS80

## Art. Nr.: LIFTADAPTERS80110-130

d	e	h
141 mm	85 mm	58 mm

0,71 kg suitable on rubber pads with:  $\varnothing = 110-130$  mm

suitable for:  
Volvo S80 / universal use




incl. GummirondeS80

## Art. Nr.: LIFTADAPTERS80130-160

d	e	h
161 mm	85 mm	58 mm

0,75 kg suitable on rubber pads with:  $\varnothing = 130-160$  mm

suitable for:  
Volvo S80 / universal use




## Art. Nr.: GUMMIRONDES80

a	e	h
-	85 mm	38 mm

0,30 kg

suitable for:  
LIFTADAPTERS80 / universal use




## Art. Nr.: TSL3-AD-MEDIUM

a	d	h
-	141 mm	11 mm

0,45 kg suitable on rubber pads with:  $\varnothing = 120-140$  mm

suitable for:  
Tesla Model 3 / Tesla Model Y




## Art. Nr.: TSL3-AD-LARGE

a	d	h
-	161 mm	11 mm

0,50 kg suitable on rubber pads with:  $\varnothing = 140-160$  mm


suitable for:  
Tesla Model 3 / Tesla Model Y



Art. Nr.: GG-D1000.H30

a	h
1000 × 500 mm	30 mm
kg 13,60 kg	


suitable for:  
scissor lifts and low vehicles



Art. Nr.: GG-D1000.H40

a	h
1000 × 500 mm	40 mm
kg 16,90 kg	


suitable for:  
scissor lifts and low vehicles



Art. Nr.: GG-D1000.H50

a	h
1000 × 480 mm	50 mm
kg 22,90 kg	


suitable for:  
scissor lifts and low vehicles



Art. Nr.: GG2P-D500H40

a	h
500 × 500 mm	40 mm
kg 8,40 kg	



suitable for:  
2-post lifts



Art. Nr.: GG5X-S108H50

a	h
500 × 500 mm	50 mm
kg 10,00 kg	

suitable for:  
portable play detectors / weel alignment systems



NEW


Art. Nr.: AP-HIA.500.500.H50-OG

a



h

500 × 500 mm

50 mm

 13,00 kg without handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



NEW


Art. Nr.: AP-HSR.510.470.H50-OG

a


h

510 × 470 mm

50 mm

 11,90 kg without handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-CIR.530.470.H50

a


h

530 × 470 mm

50 mm

 12,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



NEW


Art. Nr.: AP-GMY.550.400.H50

a


h

550 × 400 mm

50 mm

 11,20 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-HWR.570.450.H50

a


h

570 × 450 mm

50 mm

 13,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



Art. Nr.: AP-TAM.600.050.H50-OG

a


h

600 × 50 mm

50 mm

 1,40 kg without handle

suitable for:  
HERRMANN / scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-CRA.600.100.H50-OG

a	h
600 × 100 mm	50 mm

2,80 kg without handle

suitable for:  
HERRMANN / scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-PAE.600.200.H50-OG

a	h
600 × 200 mm	50 mm

5,60 kg without handle

suitable for:  
HERRMANN / scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-VPZ.600.450.H50

a	h
600 × 450 mm	50 mm

13,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-JBP.600.465.H50

a	h
600 × 465 mm	50 mm

14,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




NEW

Art. Nr.: AP-TTS.607.360.H50

a	h
607 × 360 mm	50 mm

10,50 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



NEW


Art. Nr.: AP-PMT.610.375.H50-OG

a	h
610 × 375 mm	50 mm

12,00 kg without handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment





NEW


Art. Nr.: AP-PPS.610.395.H50-OG

a


h

610 × 395 mm

50 mm

 12,10 kg without handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-LBR.620.365.H50

a


h

365 × 620 mm

50 mm

 11,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-UWQ.633.500.H50

a



h

633 × 500 mm

50 mm

 16,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-OAF.645.620.H50

a


h

645 × 620 mm

50 mm

 20,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



NEW

Art. Nr.: AP-AGY.650.050.H50-OG

a


h

650 × 50 mm

50 mm

 1,68 kg without handle

suitable for:  
HERRMANN / scissor lifts and 4-post lifts with wheel alignment



NEW

Art. Nr.: AP-RKA.650.080.H50-OG

a


h

650 × 80 mm

50 mm

 3,00 kg without handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



NEW


Art. Nr.: AP-MIA.650.100.H50-OG

a


h

650 × 100 mm

50 mm

 3,34 kg without handle

suitable for:  
HERRMANN / scissor lifts and 4-post lifts with wheel alignment



NEW


Art. Nr.: AP-LRF.650.120.H50-OG

a


h

650 × 120 mm

50 mm

 4,10 kg without handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



NEW


Art. Nr.: AP-KJW.650.200.H50-OG

a


h

650 × 200 mm

50 mm

 6,45 kg without handle

suitable for:  
HERRMANN / scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-LUP.650.450.H50

a


h

650 × 450 mm

50 mm

 15,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-XFE.650.460.H50

a


h

650 × 460 mm

50 mm

 15,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-TVS.680.400.H50

a


h

680 × 400 mm

50 mm

 14,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-KML.680.430.H50

a



h

680 × 430 mm

50 mm

 14,90 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment




Art. Nr.: AP-ZNA.730.650.H50

a


h

730 × 650 mm

50 mm

 23,00 kg with handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



NEW


Art. Nr.: AP-ZEZ.1000.500.H50-OG

a


h

1000 × 500 mm

50 mm

 25,00 kg without handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



NEW


Art. Nr.: AP-VMS.1100.600.H50-OG

a


h

1100 × 600 mm

50 mm

 34,00 kg without handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment



NEW

Art. Nr.: GP-EEQ.2000.500.H50-OG

a

h

2000 × 500 mm

50 mm

 50,00 kg without handle

suitable for:  
scissor lifts and 4-post lifts with wheel alignment

**automotive lifting solutions**