


LAMPADE RICARICABILI

**RECHARGEABLE
LAMPS**



• **KB900**
p.10

NEW



• **KB028**
p.12

NEW



• **KB230**
p.13

NEW



• **KB200**
p.14

NEW



• **KB310**
p.16/17

NEW



• **KB320**
p.18/19

NEW



• **KB105**
p.20



• **KB140**
p.21



• **KB095**
p.22



• **KB280**
p.25



• **KB400**
p.26/27



• **KB220**
p.28



• **KB260**
p.29

NEW



- **KB210**
p.15



- **KB145**
p.23



- **KB90**
p.30

NEW



- **KB300**
p.16/17



- **KB125**
p.24



- **KB110**
p.31



PowerTeka.

L'ordine
naturale
delle cose.



Con la nuova charging box PowerTeka elimini il disordine in cinque minuti: cinque come le postazioni a presa multipla Schuko per ricaricare velocemente le lampade d'officina, eliminando il classico groviglio di cavi che intralciano il tuo lavoro. Mentre togli il caos inoltre mantieni le lampade pulite e al sicuro, facili da trovare in un battibaleno.

E per chiudere, la bellezza del box di acciaio inox e ABS nero progettato da Adriano Design®.





PowerTeka. The natural order of things.

With the new PowerTeka charging box you eliminate clutter in five minutes: five like the Schuko outputs multiple socket stations to quickly recharge the workshop lamps, eliminating the classic tangle of cables that hinder your work. While clearing the mess you also keep the lamps clean and safe, easy to find in a jiffy. And last, the beauty of the stainless steel and black ABS box designed by Adriano Design®.

Caratteristiche

Struttura del box di acciaio inox e ABS nero

Presse multipla con 5 Schuko

5 magneti di colori diversi per identificare subito ciascun cavo di ricarica

Installazione su piano o a muro

Features

Black ABS and stainless steel structure

Multiple socket with 5 Schuko outputs

5 colored magnets to facilitate identification of the charging cable

Installation on shelf or wall

KB900

KB028

TORCIA A PENNA RICARICABILE
RECHARGEABLE PEN LAMP



250 LUX
140 LUMEN



2H
AUTONOMIA
OPERATING TIME



TASCABILE
POCKET SIZE



MAGNETE
MAGNET

LAMPADE LED LED LAMP

NEW

DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

Sorgente luminosa Light source	led COB + led SMD (SPOT)
Potenza Power	1,2 W
Flusso luminoso Light flux	140 lumen
Luminanza frontale Frontal lighting	250 lux @ 50 cm

BATTERIA BATTERY

Capacità Capacity	3,7V-600 mAh
Autonomia Operating time	2 h
Tempo di ricarica Charging time	1,5 h


DIMENSIONI E PESO SIZE AND WEIGHT

Dimensioni Size	18 x 15 x 160 mm
Peso Weight	43 gr

INCLUSO CAVO USB-C
USB-C CABLE INCLUDED



RICARICABILE
RECHARGEABLE



ZETEX



300 LUX
420 LUMEN



3H
AUTONOMIA
OPERATING TIME



SNAKE LAMP
25 CM



MAGNETE
MAGNET

KB230

LAMPADA A LED RICARICABILE
RECHARGEABLE LED LAMP

NEW

LAMPADA LED / LED LAMP

DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

	Sorgente luminosa Light source	led COB + SMD (SNAKE)
	Angolo di emissione Beam angle	110°
	Potenza Power	3,3 W + 1W SNAKE
	Flusso luminoso proiettore Floodlight light flux	420 lumen
	Luminanza frontale proiettore Floodlight frontal lighting	300 lux Ø 50 cm
	Flusso luminoso snake Snake light flux	150 lumen
	Luminanza frontale snake Snake frontal lighting	200 lux Ø 50 cm

BATTERIA BATTERY

	Tipologia Type	3,7 V LI-Ion
	Capacità Capacity	2000 mAh
	Autonomia Operating time	3 h
	Tempo di ricarica Charging time	3,5 h

DIMENSIONI E PESO SIZE AND WEIGHT

	Dimensioni Size	65 x 30 x 135 mm
	Peso Weight	200 gr

100/240V USB 1m USB / MICRO USB



INCLUSO CARICABATTERIA USB + CAVO USB-C
USB CHARGER + USB-C CABLE INCLUDED

RICARICABILE
RECHARGEABLE



ZETEX
2022

KB200

LAMPADA LED RICARICABILE
RECHARGEABLE LED LAMP



200 LUX
150 LUMEN



2H
AUTONOMIA
OPERATING TIME



8 mm
SOTTILE
THIN



MAGNETE
MAGNET

LAMPADA LED LED LAMP

NEW

DATI TECNICI TECHNICAL DATA

LAMPADA LAMP


	Sorgente luminosa Light source	led COB
	Potenza Power	1,5 W
	Flusso luminoso Light flux	150 lumen
	Luminanza frontale Frontal lighting	200 lux @ 50 cm

BATTERIA BATTERY

	Tipologia Type	3,7 V LI-Ion
	Capacità Capacity	520 mAh
	Autonomia Operating time	2 h
	Tempo di ricarica Charging time	20 min.

DIMENSIONI E PESO SIZE AND WEIGHT

	Dimensioni Size	20 x 10 x 160 mm
	Peso Weight	35 gr



INCLUSO CAVO USB-C
USB-C CABLE INCLUDED



RICARICABILE
RECHARGEABLE

CE



ZETEK

14



400 LUX
370 LUMEN



2H
AUTONOMIA
OPERATING TIME



13 mm
SOTTILE
THIN



MAGNETE
MAGNET

KB210

LAMPADA A LED RICARICABILE
RECHARGEABLE LED LAMP

NEW

LAMPADA LED LED LAMP


100%
400 LUX
370 LUMEN


50%
200 LUX
170 LUMEN







**FINO A 120°
CLIP FLESSIBILE
UP TO 120°
FLEXIBLE CLIP**







DATI TECNICI
TECHNICAL DATA


LAMPADA
LAMP

	Sorgente luminosa Light source	led COB
	Potenza Power	2,3 W
	Flusso luminoso Light flux	370 lumen
	Luminanza frontale Frontal lighting	400 lux @ 50 cm

BATTERIA
BATTERY

	Tipologia Type	3,7 V LI-Ion
	Capacità Capacity	1210 mAh
	Autonomia Operating time	2 h
	Tempo di ricarica Charging time	45 min.

DIMENSIONI E PESO
SIZE AND WEIGHT

	Dimensioni Size	55 x 13 x 105 mm
	Peso Weight	75 gr



INCLUSO CAVO USB-C
USB-C CABLE INCLUDED

 **RICARICABILE**
RECHARGEABLE

CE

ZETEX
2022

15

LE MINI SLIM RICARICABILI



**KB300
POCKET SLIM**

**KB310
MINI SLIM**



TASCABILI
sempre a portata di mano
POCKET-SIZE
always at hand



LEGGERE
per una praticità assoluta
LIGHT
for absolute practicality



SOTTILI
THIN
6,7 mm



3 MAGNETI INTEGRATI
per la massima flessibilità di utilizzo
3 BUILT-IN MAGNETS
maximum flexibility

3 FONTI LUMINOSE
elevato comfort di utilizzo

3 LIGHT SOURCES
high comfort



Luce da lavoro due intensità per ottimizzare la durata
Work light with 2 light output settings, to optimize operating time

LED da ispezione per la massima illuminazione in spazi ridotti

Inspection LED for the best lighting in small places



Spot per raggiungere i punti più difficili

Spot light to reach even the most narrow areas

KB300 / KB310

LAMPADE LED RICARICABILI
RECHARGEABLE LED LAMPS

NEW

LAMPADE LED LED LAMP





KB300 POCKET SLIM

DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

 Sorgente luminosa Light source	2 led COB + led SMD (SPOT)
 Potenza Power	1,3W
 Flusso luminoso Light flux	90 lumen
 Luminanza frontale Frontal lighting	135 lux @ 50 cm

BATTERIA BATTERY

 Tipologia Type	3,7 V LI-ion
 Capacità Capacity	350 mAh
 Autonomia Operating time	3 h
 Tempo di ricarica Charging time	2,5 h

DIMENSIONI E PESO SIZE AND WEIGHT

 Dimensioni Size	22,5 x 2,3 x 1,9 cm
 Peso Weight	60 gr


INCLUSO CAVO USB-C
USB-C CABLE INCLUDED







KB310 MINI SLIM

DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

 Sorgente luminosa Light source	2 led COB + led SMD (SPOT)
 Potenza Power	4W
 Flusso luminoso Light flux	280 lumen
 Luminanza frontale Frontal lighting	360 lux @ 50 cm

BATTERIA BATTERY

 Tipologia Type	3,7 V LI-ion
 Capacità Capacity	1100 mAh
 Autonomia Operating time	3 h
 Tempo di ricarica Charging time	3 h

DIMENSIONI E PESO SIZE AND WEIGHT

 Dimensioni Size	30 x 2,6 x 2 cm
 Peso Weight	81 gr

INCLUSO CAVO USB-C
USB-C CABLE INCLUDED



 **RICARICABILE**
RECHARGEABLE

CE

ZETEX

17

KB320 / 3 IN 1

LAMPADA LED RICARICABILE
RECHARGEABLE LED LAMP

LAMPADA LED LED LAMP



→|←
ULTRA SOTTILE
ULTRATHIN
solo 6 mm

🧲
3 MAGNETI INTEGRATI
3 BUILT-IN MAGNETS

📶
LUCE DIMMERABILE
DIMMABLE LIGHT



ZETEX

KB320 / 3 IN 1

LAMPADA LED RICARICABILE
RECHARGEABLE LED LAMP

NEW

LAMPADA LED / LED LAMP



DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

Sorgente luminosa Light source	led COB + LED SMD (SPOT)
Angolo di emissione Beam angle	120°
Potenza Power	3W
Flusso luminoso Light flux	450 lumen
Luminanza frontale Frontal lighting	550 lux @ 50 cm

BATTERIA BATTERY

Tipologia Type	3,7 Li-ion
Capacità Capacity	2000 mAh
Autonomia Operating time	2,5 h
Tempo di ricarica Charging time	3 h

DIMENSIONI E PESO SIZE AND WEIGHT

Dimensioni Size	44 x 34 x 300 mm
Peso Weight	220 gr

100/240V USB 1m USB / MICRO USB



INCLUSO CARICABATTERIA USB + CAVO USB
USB CHARGER + USB CABLE INCLUDED

DISPLAYER 12 PEZZI
12 PCS DISPLAYER



CE

RICARICABILE
RECHARGEABLE

ZETEX
2022

19

KB105

LAMPADA LED RICARICABILE
RECHARGEABLE LED LAMP



500 LUX
250 LUMEN



3H
AUTONOMIA
OPERATING TIME



180°
ORIENTABILE
ADJUSTABLE



MAGNETE
MAGNET

LAMPADA LED LED LAMP

NEW

DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

Sorgente luminosa <i>Light source</i>	4 X SMD led + SPOT led
Angolo di emissione <i>Beam angle</i>	90°
Potenza <i>Power</i>	2,5 W + 1 W
Flusso luminoso <i>Light flux</i>	250 lumen
Luminanza frontale <i>Frontal lighting</i>	500 lux @ 50 cm

BATTERIA BATTERY

Tipologia <i>Type</i>	3,7 Li-ion
Capacità <i>Capacity</i>	1000 mAh
Autonomia <i>Operating time</i>	3 h
Tempo di ricarica <i>Charging time</i>	3 h

DIMENSIONI E PESO SIZE AND WEIGHT

Dimensioni <i>Size</i>	48 x 30 x 190 mm
Peso <i>Weight</i>	125 gr

100/240V USB 1m USB / MICRO USB



INCLUSO CARICABATTERIA USB + CAVO USB
USB CHARGER + USB CABLE INCLUDED

DISPLAYER 12 PEZZI
12 PCS DISPLAYER



CE

SPOT LED



LED RICARICA
FULL CHARGE LED



180°



RICARICABILE
RECHARGEABLE



ZETEX



520 LUX
400 LUMEN



3H
AUTONOMIA
OPERATING TIME



ORIENTABILE
ADJUSTABLE



MAGNETE
MAGNET

KB140

LAMPADA LED RICARICABILE
RECHARGEABLE LED LAMP



DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

	Sorgente luminosa Light source	8 X SMD led + 1 SPOT led
	Angolo di emissione Beam angle	90°
	Potenza Power	4 W + 1 W (SPOT)
	Flusso luminoso Light flux	400 lumen
	Luminanza frontale Frontal lighting	520 lux @ 50 cm

BATTERIA BATTERY

	Tipologia Type	3,7 Li-PO
	Capacità Capacity	2600 mAh
	Autonomia Operating time	3 h
	Tempo di ricarica Charging time	3,5 h

DIMENSIONI E PESO SIZE AND WEIGHT

	Dimensioni Size	35 x 240 x 30 mm
	Peso Weight	160 gr

100/240V USB 1m USB / MICRO USB



INCLUSO CARICABATTERIA USB + CAVO USB
USB CHARGER + USB CABLE INCLUDED

RICARICABILE
RECHARGEABLE

DISPLAYER 12 PEZZI
12 PCS DISPLAYER



CE

LAMPADA LED LED LAMP

ZETEX
2022

21

KB095

LAMPADA TASCABILE A LED
POCKET-SIZED LED LAMP



250 LUX
120 LUMEN



2H
AUTONOMIA
OPERATING TIME



180°
ORIENTABILE
ADJUSTABLE



MAGNETE
MAGNET

LAMPADE LED LED LAMP

DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

Sorgente luminosa <i>Light source</i>	COB led + 1 SMD led (SPOT)
Angolo di emissione <i>Beam angle</i>	120°
Potenza <i>Power</i>	2W + 1W (SPOT)
Flusso luminoso <i>Light flux</i>	120 lumen
Luminanza frontale <i>Frontal lighting</i>	250 lux @ 50 cm 800 lux @ 50 cm (SPOT)

BATTERIA BATTERY

Tipologia <i>Type</i>	3,7 Li-PO
Capacità <i>Capacity</i>	750 mAh
Autonomia <i>Operating time</i>	2 h
Tempo di ricarica <i>Charging time</i>	1 h

DIMENSIONI E PESO SIZE AND WEIGHT

Dimensioni <i>Size</i>	37 x 150 x 12 mm
Peso <i>Weight</i>	86 gr



INCLUSO CARICABATTERIA 230V
230V CHARGER INCLUDED

DISPLAYER 12 PEZZI
12 PCS DISPLAYER



CE



RICARICABILE
RECHARGEABLE



ZETEX

22



800 LUX
370 LUMEN



3H
AUTONOMIA
OPERATING TIME



120°
ORIENTABILE
ADJUSTABLE



IP65
IMPERMEABILE
WATERPROOF

KB145

LAMPADA LED IP65
IP65 LED LAMP



DATI TECNICI
TECHNICAL DATA

LAMPADA
LAMP

	Sorgente luminosa Light source	led COB + led SMD (SPOT)
	Angolo di emissione Beam angle	140°
	Potenza Power	3 W + 1 W (SPOT)
	Flusso luminoso Light flux	370 lumen
	Luminanza frontale Frontal lighting	800 lux @ 50 cm

BATTERIA
BATTERY

	Tipologia Type	3,7 Li-Po
	Capacità Capacity	2600 mAh
	Autonomia Operating time	3 h
	Tempo di ricarica Charging time	3,5 h

DIMENSIONI E PESO
SIZE AND WEIGHT

	Dimensioni Size	40 x 245 x 30 mm
	Peso Weight	195 gr

100/240V USB 1m USB / MICRO USB



INCLUSO CARICABATTERIA USB + CAVO USB
USB CHARGER + USB CABLE INCLUDED

RICARICABILE
RECHARGEABLE

DISPLAYER 12 PEZZI
12 PCS DISPLAYER



LAMPADA LED LED LAMP

ZETEX

23

KB125

LAMPADA LED CON BASE DI RICARICA
LED LAMP WITH CHARGING BASE



250 LUX
220 LUMEN



3H
AUTONOMIA
OPERATING TIME



120°
ORIENTABILE
ADJUSTABLE



12 MM
SOTTILE
THIN

LAMPADE LED LED LAMP

DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

Sorgente luminosa Light source	led COB + 1 led SMD (SPOT)
Angolo di emissione Beam angle	120°
Potenza Power	3 W + 1 W (SPOT)
Flusso luminoso Light flux	220 lumen
Luminanza frontale Frontal lighting	250 lux @ 50 cm

BATTERIA BATTERY

Tipologia Type	3,7 Li-Po
Capacità Capacity	2200 mAh
Autonomia Operating time	3 h
Tempo di ricarica Charging time	4 h

DIMENSIONI E PESO SIZE AND WEIGHT

Dimensioni Size	40 x 300 x 30 mm
Peso Weight	200 gr

100/240V USB



INCLUSO CARICABATTERIA USB + CAVO USB
USB CHARGER + USB CABLE INCLUDED

RICARICABILE
RECHARGEABLE

CE



ZETEK

24



660 LUX
220 LUMEN



3,5H
AUTONOMIA
OPERATING TIME



180°
ORIENTABILE
ADJUSTABLE



INDICATORE
DI CARICA
CHARGE INDICATOR

KB280

LAMPADA A LED
LED LAMP



RICARICABILE
RECHARGEABLE

DATI TECNICI TECHNICAL DATA

LAMPADA LAMP

	Sorgente luminosa Light source	6 X SMD led + 1 led (SPOT)
	Angolo di emissione Beam angle	90°
	Potenza Power	3W + 1W (SPOT)
	Flusso luminoso Light flux	220 lumen
	Luminanza frontale Frontal lighting	660 lux @ 50 cm

BATTERIA BATTERY

	Tipologia Type	3,7 Li-PO
	Capacità Capacity	2200 mAh
	Autonomia Operating time	3,5 h
	Tempo di ricarica Charging time	3 h

DIMENSIONI E PESO SIZE AND WEIGHT

	Dimensioni Size	40 x 155 x 35 mm
	Peso Weight	215 gr

100/240V USB

1m USB / JACK



INCLUSO CARICABATTERIA USB + CAVO USB
USB CHARGER + USB CABLE INCLUDED

DISPLAYER 12 PEZZI
12 PCS DISPLAYER



CE

LAMPADA LED LED LAMP

ZETEX
2022

25

KB400

3 LAMPADE IN 1
3 IN 1 LAMP

LAMPADE LED LED LAMP



**3-IN-1
MULTIFUNCTION KIT**



CARATTERISTICHE CORPO LAMPADA BODY LAMP FEATURES

	Tipologia Type	3,7 Li-Ion
	Capacità Capacity	2200 mAh
	Tempo di ricarica Charging time	5 h



TORCIA A DUE INTENSITÀ (100%, 50%)

2 LIGHT OUTPUT SETTINGS
(100%, 50%) TORCH

	Sorgente luminosa Light source	CREE XPG
	Angolo di emissione Beam angle	10° - 80°
	Flusso luminoso Light flux	250 lumen
	Luminanza frontale Frontal lighting	11000 - 1400 lux @ 50 cm
	Potenza Power	2,5 W
	Autonomia Operating time	4 h



SLIM LAMP PIEGHEVOLE A 180 GRADI

180 FOLDABLE
SLIM LAMP

	Sorgente luminosa Light source	COB LED
	Angolo di emissione Beam angle	120°
	Flusso luminoso Light flux	290 lumen
	Luminanza frontale Frontal lighting	550 lux @ 50 cm
	Potenza Power	3 W
	Autonomia Operating time	2,5 h



SNAKE LAMP SUPER FLESSIBILE CON ZOOM

SUPER FLEXIBLE
SNAKE HEAD WITH ZOOM

	Sorgente luminosa Light source	CREE XPG
	Angolo di emissione Beam angle	20° - 60°
	Flusso luminoso Light flux	90 lumen
	Luminanza frontale Frontal lighting	3600 - 650 lux @ 50 cm
	Potenza Power	1 W
	Autonomia Operating time	6 h

ZETEK

KB400

3 LAMPADE IN 1
3 IN 1 LAMP

LAMPADE LED LED LAMP

**TUTTO IL NECESSARIO
PER ILLUMINARE E ISPEZIONARE,
IN UNA VALIGETTA.**

*EVERYTHING YOU NEED
TO ILLUMINATE AND INSPECT,
IN A CASE.*



**FACILITÀ CAMBIO
TESTA CON
INNESTO RAPIDO**
*EASY TO CHANGE
HEAD WITH
QUICK CONNECTOR*

**CORPO IN ALLUMINIO
ULTRARESISTENTE**
*LONG LASTING
ALUMINIUM BODY*

100/240V USB

1m USB / MICRO USB



INCLUSO CARICABATTERIA USB + CAVO USB
USB CHARGER + USB CABLE INCLUDED



GRUPPO DI RISCHIO 2: ATTENZIONE Radiazioni ottiche potenzialmente pericolose emesse da questo prodotto. Non fissare la lampada in funzione. Può essere dannoso per gli occhi.
RISK GROUP 2: CAUTION Possibly hazardous optical radiation emitted from this product. Do not stare at operating lamp. May be harmful to the eyes.



RICARICABILE
RECHARGEABLE



**KB400/UV
TESTA SNO DATA CON LED UV**
*Snake lamp con LED UV
per rilevare perdite
in sistemi idraulici, impianti
di refrigerazione
e pompe di calore.*

KB400/UV : UV SNAKE LAMP
*UV snake lamp helps
to find leaks in hydraulic
systems, refrigeration
installations ad heatpumps.*

CE

ZETEX

27